

Serial No.: 10/619,988

- 1 IN THE DRAWINGS
- 2 Please replace the drawings as forwarded herewith.
- 3

DOCKET NUMBER: IL920000077US1

2/4

Serial No.: 10/619,988

**REMARKS****Drawings**

3. The drawings are objected to because black boxes need to be labeled as to their functions:

o Fig. 2, elements 30 and 70;

o Fig. 6-8, elements 30 and 70;

o Fig. 10, element 830;

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: o Fig. 2, "connector 170" (see page 6, line 22); o Fig. 3, "user space 90" (see page 8, third paragraph) o Fig. 5, "PLB 390" (see page 15, third paragraph) Corrected drawing sheets in compliance with 37 CFR 1.12(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

5. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: Fig. 2, "270". Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures

DOCKET NUMBER: IL920000077US1

3/4

**RECEIVED**  
**CENTRAL FAX CENTER**  
**NOV 17 2006**

Serial No.: 10/619,988

1 *appearing on the immediate prior version of the sheet, even if only one figure is being*  
2 *amended. Each drawing sheet submitted after the filing date of an application must be*  
3 *labeled in the top margin as either Replacement Sheet" or "New Sheet" pursuant to 37*  
4 *CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be*  
5 *notified and informed of any required corrective action in the next Office action. The*  
6 *objection to the drawings will not be held in abeyance.*

7 In response, the applicants respectfully states that corrected drawings that include replacement  
8 sheets for sheets 1, 4, 5 and 7 are submitted herewith overcoming all the drawing objections.


9 Please charge any fee necessary to enter this paper to deposit account 50-0510.

10

Respectfully submitted,

11

By:



12

Dr. Louis P. Herzberg

13

Reg. No. 41,500

14

Voice Tel. (845) 352-3194

15

Fax. (845) 352-3194

16

3 Cloverdale Lane

17

Monsey, NY 10952

18

Customer Number: 54856

**DOCKET NUMBER: IL920000077US1**

**4/4**